

STATEMENT OF WORK (SOW)  
REBUILD OF  
REPLENISHER CYLINDER ASSEMBLY  
NSN 1025-01-039-8540

1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the rebuild effort of the Replenisher Cylinder Assembly, NSN 1025-01-039-8540 in support of the M198 Howitzer, ID# 081989A, TAMCN E0665, NSN 1025-01-026-6648. (For purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild.) This document contains requirements to restore the Replenisher Cylinder Assembly to condition code "A". Condition code 'A' is defined as serviceable/issuable without qualification, new used, repaired, or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining.

1.1 Background. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."

2.0 APPLICABLE DOCUMENTS. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards.

MIL-STD-129

DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

DMWR 9-1025-211-1

Depot Maintenance Work Requirement (DMWR)  
dtd Aug 84

P12007609

Packaging Data Sheet (PDS)

DoD 4000.25-1-M

MILSTRIP Manual

NAVICPINST 4491-2A

Requisitioning of Contractor Furnished Materiel from  
the Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

### 2.3 Industry Standards.

ANSI/ISO/ASQC Q9003-1994

Quality Systems-Model for Quality Assurance in Final Inspection and Test.

#### Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standards for Configuration Management

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by Contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Marine Corps Logistics Bases, (Code 894) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128. Copies of engineering drawings, if applicable, shall be obtained from the Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

### 3.0 REQUIREMENTS.

3.1 Rebuild. The Contractor shall rebuild the Replenisher Cylinder Assembly in accordance with DMWR 9-1025-211-1, Chapter 3.

3.2 Quality Assurance/Quality Control. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems- Model for Quality Assurance in Final Inspection and Test. Quality acceptance and test procedures shall be in accordance with DMWR 9-1025-211-1, Chapter 5.

3.3 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement any changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by the written procedures or materials contained in manuals, standards, instructions or engineering drawings. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

### 3.4 Packaging, Handling, Storage and Transportation (PHS&T).

a. The Contractor shall be responsible for the application of preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for all destinations

shall be in accordance with the level A requirements of PDS P12007609 which may be obtained from Storage & Distribution Department (Code 580), Business Management Branch (Code 581) Suite 20320, 814 Radford Blvd., Albany, GA., 31704-0320, Telephone, commercial (229) 639-6786, DSN 567-6786 and the requirements of DMWR 9-1025-211-2, Chapter 6.

b. Marking for shipment and storage shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated sit(s)e. The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

### 3.5 Government Furnished Equipment (GFE) /Government Furnished Materiel (GFM).

GFE is government owned equipment authorized by contract for use by a commercial/ Government Contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a Contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code573-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.

3.6 Contractor Furnished Materiel (CFM). The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Material (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DOD Supply System. This would require specific provisions in section H of the contract to place total responsibility on the Contractor to obtain direct electronic access to the DOD supply System electronically submit their requisitions, maintain status, receive billing from the source of supply and provide direct payment to DFAS.

# CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 10 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (DDIC-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block 4.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TOP TM OTHER X

D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR

Replenisher Cylinder Assy

1. DATA ITEM NO. 2. TITLE OF DATA ITEM 3. SUBTITLE

A001 Request For Deviation Configuration Management

4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE

DI-CMAN-80640C SOW 3.3 MCLBA (583)

7. DD 250 REQ 9. DIST STATEMENT REQUIRED 10. FREQUENCY 12. DATE OF FIRST SUBMISSION 14. DISTRIBUTION

LT ASREQ See Blk 16

8. APP CODE 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION

A A

16. REMARKS

Blk 4 - Contractor format submitted in .pdf or .doc format is authorized.

Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.

RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.

Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmgmt@matcom.usmc.mil

Distribution Statement A: Approved for Public Release; Distribution is Unlimited.

MCLBA (583-1)

0 1 0

G. PREPARED BY H. DATE I. APPROVED BY J. DATE

for Ann Jones 21 Sep 01 Daniel W Taylor 21 Sep 01

DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED. Page of Pages